



Certificate of Analysis
Compliance Test

Client Information:

Noble Labs
241 old highway 98 east
Tylertown, Mississippi 39667

Batch # NL-NLPN1003
Batch Date: 2024-06-24
Extracted From: Yes

Test Reg State: Louisiana

Order # NOB240624-040001
Order Date: 2024-06-24
Sample # AAFS315

Sampling Date: 2024-06-27
Lab Batch Date: 2024-06-27
Completion Date: 2024-07-01

Volume: 355 ml
Net Weight per Serving: 355 mg

Number of Units: 1
Net Weight per Package: 355000.000 mg
Serving Number: 1.00000



Potency Tested



Heavy Metals Passed



Pesticides Passed



Residual Solvents Passed



Pathogenic Microbiology Passed



Microbiology Petrifilm Passed

Product Image

Delta 8/Delta 10 Potency 13 - (LCMS)

Tested

SOP13.001 (LCMS)



Potency Summary

Specimen Weight: 20000.000 mg

| Analyte | LOD (%) | LOQ (%) | Result (µg/ml) | Result (%) |
|------------------|---------|---------|----------------|------------|
| Delta-9 THC | 1.30E-5 | 0.1 | 13.780 | 0.001378 |
| CBC | 1.80E-5 | 0.0015 | <LOQ | <LOQ |
| CBD | 5.40E-5 | 0.0015 | <LOQ | <LOQ |
| CBDA | 1.00E-5 | 0.0015 | <LOQ | <LOQ |
| CBDV | 6.50E-5 | 0.0015 | <LOQ | <LOQ |
| CBG | 2.48E-4 | 0.0015 | <LOQ | <LOQ |
| CBGA | 8.00E-5 | 0.0015 | <LOQ | <LOQ |
| CBN | 1.40E-5 | 0.0015 | <LOQ | <LOQ |
| Delta-10 THC | 3.00E-6 | 0.0015 | <LOQ | <LOQ |
| Delta-8 THC | 2.60E-5 | 0.0015 | <LOQ | <LOQ |
| Delta6a10a-THC | 8.47E-5 | 0.0015 | <LOQ | <LOQ |
| THCA-A | 3.20E-5 | 0.0015 | <LOQ | <LOQ |
| THCV | 7.00E-6 | 0.0015 | <LOQ | <LOQ |
| Total Active THC | | | 0.014 | 0.001378 |
| Total Active CBD | | | <LOQ | <LOQ |

| | | | |
|--|----------------|---|----------------|
| Delta 9 THC per Serving 0.00138% | 4.899mg | Total Active CBD per Serving - | ND |
| Total CBG per Serving - | ND | Total CBN per Serving - | ND |
| Total Cannabinoids per Serving 0.001378% | 4.892mg | Total Active CBD Per Package - | ND |
| Total Active THC per Serving 0.00138% | 4.899mg | Total Active THC Per Package 0.00138% | 4.899mg |
| Delta 9 THC per Package 0.00138% | 4.899mg | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877) + Total CBDV = CBDV + (CBDVA * 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA * 0.877), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Noble Labs

241 old highway 98 east
Tylertown, Mississippi 39667

Batch # NL-NLPN1003
Batch Date: 2024-06-24
Extracted From: Yes

Test Reg State: Louisiana

Order # NOB240624-040001
Order Date: 2024-06-24
Sample # AAFS315

Sampling Date: 2024-06-27
Lab Batch Date: 2024-06-27
Completion Date: 2024-07-01

Volume: 355 ml
Net Weight per Serving: 355 mg

Number of Units: 1
Net Weight per Package: 355000.000 mg
Serving Number: 1.00000

Microbiology TYM (PetriFilm/Plating) - LA
Specimen Weight: 994.900 mg

Passed
SOP13.003 (PetriFilm)

Pathogenic Microbiology - SE (MicroArray)

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

| Analyte | LOQ (cfu/g) | Result (cfu/g) |
|------------|-------------|----------------|
| Yeast/Mold | 10000 | <1000 |

Specimen Weight: 1029.500 mg

Dilution Factor: 1.000

| Analyte | Result (cfu/g) | Analyte | Result (cfu/g) |
|------------|----------------|--------------|----------------|
| Salmonella | Absence in 1g | STEC E. Coli | Absence in 1g |

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Noble Labs
241 old highway 98 east
Tylertown, Mississippi 39667

Batch # NL-NLPN1003
Batch Date: 2024-06-24
Extracted From: Yes

Test Reg State: Louisiana

Order # NOB240624-040001
Order Date: 2024-06-24
Sample # AAFS315

Sampling Date: 2024-06-27
Lab Batch Date: 2024-06-27
Completion Date: 2024-07-01

Volume: 355 ml
Net Weight per Serving: 355 mg

Number of Units: 1
Net Weight per Package: 355000.000 mg
Serving Number: 1.00000

H Heavy Metals - LA
Specimen Weight: 245.300 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 203.832

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | .00483 | 0.1 | 10 | <LOQ | Lead (Pb) | 0.0058 | 0.1 | 10 | <LOQ |
| Cadmium (Cd) | .00064 | 0.1 | 4.1 | <LOQ | Mercury (Hg) | .01176 | 0.1 | 2 | <LOQ |

I Residual Solvents - LA (CBD)
Specimen Weight: 307.700 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 500.000

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.0094 | 0.16 | 8 | <LOQ | Heptane | 0.0013 | 1.39 | 500 | <LOQ |
| 1,2-Dichloroethane | 0.0003 | 0.04 | 5 | <LOQ | Hexane | 0.068 | 1.17 | 10 | <LOQ |
| Acetone | 0.015 | 2.08 | 5000 | <LOQ | Isopropyl alcohol | 0.0048 | 1.39 | 500 | <LOQ |
| Acetonitrile | 0.06 | 1.17 | 410 | <LOQ | Methanol | 0.0005 | 0.69 | 3000 | <LOQ |
| Benzene | 0.0002 | 0.02 | 1 | <LOQ | Methylene chloride | 0.0029 | 2.43 | 600 | <LOQ |
| Butanes | 0.4167 | 2.5 | 800 | <LOQ | Pentane | 0.037 | 2.08 | 5000 | <LOQ |
| Chloroform | 0.0001 | 0.04 | 60 | <LOQ | Propane | 0.031 | 5.83 | 2100 | <LOQ |
| Ethanol | 0.0021 | 2.78 | 5000 | <LOQ | Toluene | 0.0009 | 2.92 | 1 | <LOQ |
| Ethyl Acetate | 0.0012 | 1.11 | 5000 | <LOQ | Total Xylenes | 0.0001 | 2.92 | 1 | <LOQ |
| Ethyl Ether | 0.0049 | 1.39 | 5000 | <LOQ | Trichloroethylene | 0.0014 | 0.49 | 80 | <LOQ |
| Ethylene Oxide | 0.0038 | 0.1 | 5 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Noble Labs
241 old highway 98 east
Tylertown, Mississippi 39667

Batch # NL-NLPN1003
Batch Date: 2024-06-24
Extracted From: Yes

Test Reg State: Louisiana

Order # NOB240624-040001
Order Date: 2024-06-24
Sample # AAFS315

Sampling Date: 2024-06-27
Lab Batch Date: 2024-06-27
Completion Date: 2024-07-01

Volume: 355 ml
Net Weight per Serving: 355 mg

Number of Units: 1
Net Weight per Package: 355000.000 mg
Serving Number: 1.00000

Pesticides - LA
Specimen Weight: 581.300 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.580

| Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|---------------------|-----------|-----------|--------------------|--------------|-------------------------------------|-----------|-----------|--------------------|--------------|
| Abamectin | 4.3500E-4 | 0.009 | 0.3 | <LOQ | Hexythiazox | 4.5000E-5 | 0.0096 | 2 | <LOQ |
| Acephate | 4.6700E-4 | 0.0096 | 5 | <LOQ | Imazalil | 6.3900E-4 | 0.0096 | 0 | <LOQ |
| Acequinocyl | 8.0100E-4 | 0.0096 | 4 | <LOQ | Imidacloprid | 1.5900E-4 | 0.0096 | 3 | <LOQ |
| Acetamiprid | 8.0000E-5 | 0.0096 | 5 | <LOQ | Kresoxim Methyl | 2.6800E-4 | 0.0096 | 1 | <LOQ |
| Aldicarb | 1.2400E-4 | 0.0096 | 0 | <LOQ | Malathion | 4.1000E-4 | 0.0096 | 5 | <LOQ |
| Azoxystrobin | 6.8300E-4 | 0.0096 | 40 | <LOQ | Metalaxyl | 7.4900E-4 | 0.0096 | 15 | <LOQ |
| Bifenazate | 8.2000E-5 | 0.0096 | 5 | <LOQ | Methiocarb | 9.9000E-5 | 0.0096 | 0 | <LOQ |
| Bifenthrin | 1.2100E-4 | 0.0096 | 0.5 | <LOQ | Methomyl | 1.2100E-4 | 0.0096 | 0.1 | <LOQ |
| Boscalid | 1.5300E-4 | 0.0096 | 10 | <LOQ | methyl-Parathion | 3.0650E-3 | 0.0096 | 0 | <LOQ |
| Captan | 8.9660E-3 | 0.048 | 5 | <LOQ | Mevinphos | 1.3700E-3 | 0.0096 | 0 | <LOQ |
| Carbaryl | 1.1800E-4 | 0.0096 | 0.5 | <LOQ | Myclobutanil | 5.7100E-4 | 0.0096 | 9 | <LOQ |
| Carbofuran | 1.7800E-4 | 0.0096 | 0 | <LOQ | Naled | 8.3000E-5 | 0.0096 | 0.5 | <LOQ |
| Chlorantraniliprole | 5.2000E-5 | 0.0096 | 40 | <LOQ | Oxamyl | 1.2300E-4 | 0.0096 | 0.2 | <LOQ |
| Chlorfenapyr | 3.1210E-3 | 0.0096 | 0.1 | <LOQ | Paclobotrazol | 1.2300E-4 | 0.0096 | 0 | <LOQ |
| Chlorpyrifos | 2.7100E-4 | 0.0096 | 0 | <LOQ | Pentachloronitrobenzen (Quintozene) | 5.1400E-3 | 0.0096 | 0.2 | <LOQ |
| Clofentezine | 1.1900E-4 | 0.0096 | 0.5 | <LOQ | Permethrin | 7.1800E-4 | 0.0096 | 20 | <LOQ |
| Coumaphos | 1.2900E-4 | 0.0096 | 0 | <LOQ | Phosmet | 3.0100E-4 | 0.0096 | 0.2 | <LOQ |
| Cyfluthrin | 7.7300E-3 | 0.048 | 1 | <LOQ | Piperonylbutoxide | 2.1700E-4 | 0.0096 | 8 | <LOQ |
| Cypermethrin | 8.8700E-4 | 0.0096 | 1 | <LOQ | Prallethrin | 1.3650E-3 | 0.0096 | 0.4 | <LOQ |
| Daminozide | 1.7970E-3 | 0.0096 | 0 | <LOQ | Propiconazole | 2.5900E-4 | 0.0096 | 20 | <LOQ |
| Diazinon | 1.3280E-3 | 0.0096 | 0.2 | <LOQ | Propoxur | 1.4700E-4 | 0.0096 | 0 | <LOQ |
| Dichlorvos | 4.6500E-4 | 0.0096 | 0 | <LOQ | Pyrethrins | 2.5600E-4 | 0.0014 | 1 | <LOQ |
| Dimethoate | 3.6600E-4 | 0.0096 | 0 | <LOQ | Pyridaben | 5.9000E-5 | 0.0096 | 3 | <LOQ |
| Dimethomorph | 2.7200E-4 | 0.0096 | 20 | <LOQ | Spinetoram | 3.4600E-4 | 0.0096 | 3 | <LOQ |
| Ethoprophos | 1.9200E-4 | 0.0096 | 0 | <LOQ | Spinosad | 2.8000E-5 | 0.00239 | 3 | <LOQ |
| Etofenprox | 1.1600E-4 | 0.0096 | 0 | <LOQ | Spiromesifen | 2.9100E-4 | 0.0096 | 12 | <LOQ |
| Etoxazole | 5.7000E-4 | 0.0096 | 1.5 | <LOQ | Spirotetramat | 1.4100E-4 | 0.0096 | 13 | <LOQ |
| Fenhexamid | 1.0110E-3 | 0.0096 | 10 | <LOQ | Spiroxamine | 1.1900E-4 | 0.0096 | 0 | <LOQ |
| Fenoxycarb | 1.6900E-4 | 0.0096 | 0 | <LOQ | Tebuconazole | 1.3400E-4 | 0.0096 | 2 | <LOQ |
| Fenpyroximate | 1.3900E-4 | 0.0096 | 2 | <LOQ | Thiacloprid | 3.9700E-4 | 0.0096 | 0 | <LOQ |
| Fipronil | 6.0500E-4 | 0.0096 | 0.1 | <LOQ | Thiamethoxam | 1.0400E-4 | 0.0096 | 4.5 | <LOQ |
| Fonicamid | 1.2800E-4 | 0.0096 | 2 | <LOQ | Trifloxystrobin | 8.8000E-5 | 0.0096 | 30 | <LOQ |
| Fludioxonil | 5.2100E-4 | 0.0096 | 30 | <LOQ | | | | | |

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

